

SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: Gilula, Norton B
 Cravatt, Benjamin F
 Lerner, Richard A
- (ii) TITLE OF INVENTION: FATTY-ACID AMIDE HYDROLASE
- (iii) NUMBER OF SEQUENCES: 54
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: The Scripps Research Institute
 - (B) STREET: 10550 North Torrey Pines Road
 - (C) CITY: La Jolla
 - (D) STATE: California
 - (E) COUNTRY: US
 - (F) ZIP: 92037
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.25
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/743,168
 - (B) FILING DATE: 04-NOV-1996
 - (C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/489,535
 - (B) FILING DATE: 12-JUN-1995
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Fitting, Thomas
 - (B) REGISTRATION NUMBER: 34,163
 - (C) REFERENCE/DOCKET NUMBER: TSRI 485.2
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: (619) 784-2937
 - (B) TELEFAX: (619) 784-9399
- (2) INFORMATION FOR SEQ ID NO:1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 783 base pairs
 - (B) TYPE: nucleic acid

- 69 -(C) STRANDEDNESS: double (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 1..783 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1: AGC CCA GGA GGT TCC TCA GGG GGT GAG GGG GCT CTC ATT GGA TCT GGA Ser Pro Gly Gly Ser Ser Gly Gly Glu Gly Ala Leu Ile Gly Ser Gly 10

GGT TCC CCT CTG GGT TTA GGC ACT GAC ATT GGC GGC AGC ATC CGG TTC	96
Gly Ser Pro Leu Gly Leu Gly Thr Asp Ile Gly Gly Ser Ile Arg Phe 20 25 30	
CCT TCT GCC TTC TGC GGC ATC TGT GGC CTC AAG CCT ACT GGC AAC CGC Pro Ser Ala Phe Cys Gly Ile Cys Gly Leu Lys Pro Thr Gly Asn Arg 35 40 45	144
CTC AGC AAG AGT GGC CTG AAG GGC TGT GTC TAT GGA CAG ACG GCA GTG Leu Ser Lys Ser Gly Leu Lys Gly Cys Val Tyr Gly Gln Thr Ala Val 50 55 60	192
CAG CTT TCT CTT GGC CCC ATG GCC CGG GAT GTG GAG AGC CTG GCG CTA Gln Leu Ser Leu Gly Pro Met Ala Arg Asp Val Glu Ser Leu Ala Leu 65 70 75 80	240
TGC CTG AAA GCT CTA CTG TGT GAG CAC TTG TTC ACC TTG GAC CCT ACC Cys Leu Lys Ala Leu Leu Cys Glu His Leu Phe Thr Leu Asp Pro Thr 85 90 95	288
GTG CCT CCC TTT CCC TTC AGA GAG GAG GTC TAT AGA AGT TCT AGA CCC Val Pro Pro Phe Pro Phe Arg Glu Glu Val Tyr Arg Ser Ser Arg Pro 100 100 105 110	336
CTG CGT GTG GGG TAC TAT GAG ACT GAC AAC TAT ACC ATG CCC AGC CCA Leu Arg Val Gly Tyr Tyr Glu Thr Asp Asn Tyr Thr Met Pro Ser Pro 115 120 125	384
GCT ATG AGG AGG GCT CTG ATA GAG ACC AAG CAG AGA CTT GAG GCT GCT Ala Met Arg Arg Ala Leu Ile Glu Thr Lys Gln Arg Leu Glu Ala Ala	432

48

	130					135				140			•	
						TTC Phe								480
						GGC Gly								528
						GAC Asp								576
						CCC Pro								624
						CCT Pro 215								672
						AAG Lys								720
						ATT Ile								768
	CTG Leu	-		TAA										783
(2)	INFO	RMAT	ION	FOR	SEQ	ID N	10 : 2 :	:						

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 260 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Ser Pro Gly Gly Ser Ser Gly Gly Glu Gly Ala Leu Ile Gly Ser Gly
1 5 10 15

Gly Ser Pro Leu Gly Leu Gly Thr Asp Ile Gly Gly Ser Ile Arg Phe

Pro	Ser	Ala 35	Phe	Cys	Gly	Ile	Cys 40	Gly	Leu	Lys	Pro	Thr 45	Gly	Asn	Arg
Leu	Ser 50	Lys	Ser	Gly	Leu	Lys 55	Gly	Cys	Val	Tyr	Gly 60	Gln	Thr	Ala	Val
Gln 65	Leu	Ser	Leu	Gly	Pro 70	Met	Ala	Arg	Asp	Val 75	Glu	Ser	Leu	Ala	Leu 80

Cys Leu Lys Ala Leu Leu Cys Glu His Leu Phe Thr Leu Asp Pro Thr 85 90 95

Val Pro Pro Phe Pro Phe Arg Glu Glu Val Tyr Arg Ser Ser Arg Pro
100 105 110

Leu Arg Val Gly Tyr Tyr Glu Thr Asp Asn Tyr Thr Met Pro Ser Pro 115 120 125

Ala Met Arg Arg Ala Leu Ile Glu Thr Lys Gln Arg Leu Glu Ala Ala 130 135 140

Gly His Thr Leu Ile Pro Phe Leu Pro Asn Asn Ile Pro Tyr Ala Leu 145 150 155 160

Glu Val Leu Ser Ala Gly Gly Leu Phe Ser Asp Gly Gly Arg Ser Phe 165 170 175

Leu Gln Asn Phe Lys Gly Asp Phe Val Asp Pro Cys Leu Gly Asp Leu 180 185 190

Ile Leu Ile Leu Arg Leu Pro Ser Trp Phe Lys Arg Leu Leu Ser Leu 195 200 205

Leu Leu Lys Pro Leu Phe Pro Arg Leu Ala Ala Phe Leu Asn Ser Met 210 215 220

Arg Pro Arg Ser Ala Glu Lys Leu Trp Lys Leu Gln His Glu Ile Glu 225 230 235 240

Met Tyr Arg Gln Ser Val Ile Ala Gln Trp Lys Ala Met Asn Leu Asp 245 250 255

Val Leu Leu Thr 260

(2) INFORMATION FOR SEQ ID NO:3:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid

(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3: CGGAATTCGG NGGNGARGGN GC 22 (2) INFORMATION FOR SEQ ID NO:4: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 5 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide (v) FRAGMENT TYPE: internal (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4: Gly Gly Glu Gly Ala (2) INFORMATION FOR SEQ ID NO:5: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide (v) FRAGMENT TYPE: internal (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5: Gly Gly Ser Ser Gly Gly Glu Gly Ala Leu Ile Gly Ser Gly Gly Ser 5

Pro Leu Gly Leu Gly Thr Asp Ile Gly Gly Ser Ile Arg Phe Pro 20 25 30

- (2) INFORMATION FOR SEQ ID NO:6:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Ser Pro Gly Gly Ser Ser Gly Gly Glu Gly Ala Leu Ile Gly Ser
1 5 10 15

- (2) INFORMATION FOR SEQ ID NO:7:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

Ala Leu Ile Gly Ser Gly Gly Ser Pro Leu Gly Leu Gly Thr Asp
1 5 10 15

- (2) INFORMATION FOR SEQ ID NO:8:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (v) FRAGMENT TYPE: internal

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Gly Leu Gly Thr Asp Ile Gly Gly Ser Ile Arg Phe Pro Ser Ala
1 5 10 15

- (2) INFORMATION FOR SEQ ID NO:9:
 - (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 15 amino acids

- (B) TYPE: amino acid
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (v) FRAGMENT TYPE: internal
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

Arg Phe Pro Ser Ala Phe Cys Gly Ile Cys Gly Leu Lys Pro Thr
1 5 10 15

- (2) INFORMATION FOR SEQ ID_NO:10:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Gly Leu Lys Pro Thr Gly Asn Arg Leu Ser Lys Ser Gly Leu Lys
1 5 10 15

- (2) INFORMATION FOR SEQ ID NO:11:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (v) FRAGMENT TYPE: internal

	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:11:	
	Lys 1	Ser Gly Leu Lys Gly Cys Val Tyr Gly Gln Thr Ala Val	Gln 15
(2)	INFO	RMATION FOR SEQ ID NO:12:	
	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 15 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: peptide	
	(v)	FRAGMENT TYPE: internal	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:12:	
	Gln 1	Thr Ala Val Gln Leu Ser Leu Gly Pro Met Ala Arg Asp 5 10	Val 15
(2)	INFO	RMATION FOR SEQ ID NO:13:	
	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 15 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: peptide	
	(v)	FRAGMENT TYPE: internal	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:13:	
	Met 1	Ala Arg Asp Val Glu Ser Leu Ala Leu Cys Leu Lys Ala 5 10	Leu 15
(2)	INFO	RMATION FOR SEQ ID NO:14:	
	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 15 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear	

(ii) MOLECULE TYPE: peptide

	(v)	FRAC	SMEN'	r TY	PE:	int	ern	al								
	(xi)	SEQU	JENCI	E DE:	SCRI	IPTI	ON:	SE	Q II	D NO	:14:					
	Cys 1	Leu	Lys	Ala	Leu 5	ı Le	u C	'ys	Glu	His	Leu 10	Phe	Thr	Leu	Asp	Pro 15
(2)	INFO	RMATI	ON E	FOR :	SEQ	ID	NO:	15:								
	(i)	(B)	ENCE LEN TYI TOI	GTH E: a	: 15 amir	am no a	ino cid	ac								
	(ii)	MOLE	CULE	TY	PE:	pep	tid	e								
	(v)	FRAG	MENT	TY	PE:	int	ern	al								
	(xi)	SEQU	ENCE	DES	SCRI	PTI	ON:	SE	Q II	оис	:15:					
	Phe 1	Thr	Leu	Asp	Pro 5	Th	r V	al	Pro	Pro	Phe 10	Pro	Phe	Arg	Glu	Glu 15
(2)	INFO	RMATI	ON F	OR S	SEQ	ID I	NO:	16:								
	(i)	(B)	ENCE LEN TYP TOP	GTH:	: 15 amin	am:	ino cid	ac								
	(ii)	MOLE	CULE	TY	?E:	pep	tid	е								
	(v)	FRAG	MENT	TYI	PE:	int	ern	al								
	(xi)	SEQU	ENCE	DES	SCRI	PTI	ON:	SE	Q II	OM C	:16:					
	Pro 1	Phe	Arg	Glu	Glu 5	ı Va	1 T	yr	Arg	Ser	Ser 10	Arg	Pro	Leu	Arg	Val 15
(2)	INFOR	RMATI	ON F	OR S	SEQ	ID 1	NO :	17:								
	(3)	SEOU	ENCE	CH1	יע <i>פ</i> י	סיגוייי	TCT	דרפ								

(A) LENGTH: 15 amino acids

(B) TYPE: amino acid(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(2) INFORMATION FOR SEQ ID NO:20:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 15 amino acids

(v) FRAGMENT TYPE: internal (xi) SEQUENCE DESCRIPTION: SEQ ID NO:17: Arg Pro Leu Arg Val Gly Tyr Tyr Glu Thr Asp Asn Tyr Thr Met 5 (2) INFORMATION FOR SEQ ID NO:18: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 15 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide (v) FRAGMENT TYPE: internal (xi) SEQUENCE DESCRIPTION: SEQ ID NO:18: Asp Asn Tyr Thr Met Pro Ser Pro Ala Met Arg Arg Ala Leu Ile (2) INFORMATION FOR SEQ ID NO:19: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 15 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide (v) FRAGMENT TYPE: internal (xi) SEQUENCE DESCRIPTION: SEQ ID NO:19: Arg Arg Ala Leu Ile Glu Thr Lys Gln Arg Leu Glu Ala Ala Gly

(B) TYPE: amino acid

(2) INFORMATION FOR SEQ ID NO:23:

			(D) ⁵	ropolo	GY:	linea	ır								
		(ii)	MOLEC	JLE TY	PE: j	pepti	.de								
		(v)	FRAGMI	ENT TY	PE:	inter	mal								
		(xi)	SEQUE	ICE DE	SCRI	PTION	ı: SE	EQ II	ON O	:20:					
		Leu 1	Glu Al	a Ala	Gly 5	His	Thr	Leu	Ile	Pro 10	Phe	Leu	Pro	Asn	Asn 15
	(2)	INFO	RMATION	FOR	SEQ :	ID NO	:21:								
		(i)	(B) 1	ICE CH LENGTH LYPE: 3	: 15 amino	amin o aci	o ac d								
		(ii)	MOLECU	LE TY	PE: p	pepti	de								
		(v)	FRAGME	NT TY	PE: :	inter	nal								-
														•**	. '
		(xi)	SEQUEN	ICE DES	SCRII	PTION	: SE	Q ID	NO:	21:					
		Phe 1	Leu Pr	o Asn	Asn 5	Ile	Pro	Tyr	Ala	Leu 10	Glu	Val	Leu	Ser	Ala 15
. :	(2)	INFOR	COLTAMS	FOR S	SEQ :	ID NO	:22:								
		·(i)	(B) I	CE CHI ENGTH YPE: &	: 15 amino	amin aci	o ac d								
		(ii)	MOLECU	LE TY	PE: 1	pepti	de								
		(v)	FRAGME	NT TY	PE: i	inter	nal								
		(xi)	SEQUEN	CE DES	SCRII	PTION	: SE	Q ID	NO:	22:					٠
		Glu 1	Val Le	u Ser	Ala 5	Gly	Gly	Leu	Phe	Ser 10	Asp	Gly	Gly	Arg	Ser 15

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 15 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide (v) FRAGMENT TYPE: internal (xi) SEQUENCE DESCRIPTION: SEQ ID NO:23: Asp Gly Gly Arg Ser Phe Leu Gln Asn Phe Lys Gly Asp Phe Val (2) INFORMATION FOR SEQ ID NO:24: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 15 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide (v) FRAGMENT TYPE: internal (xi) SEQUENCE DESCRIPTION: SEQ ID NO:24: Lys Gly Asp Phe Val Asp Pro Cys Leu Gly Asp Leu Ile Leu Ile 10 (2) INFORMATION FOR SEQ ID NO:25: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 15 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide (v) FRAGMENT TYPE: internal (xi) SEQUENCE DESCRIPTION: SEQ ID NO:25: Asp Leu Ile Leu Ile Leu Arg Leu Pro Ser Trp Phe Lys Arg Leu 10 5

- (2) INFORMATION FOR SEQ ID NO:26:
 - (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

Trp Phe Lys Arg Leu Leu Ser Leu Leu Leu Lys Pro Leu Phe Pro 1 5 10 15

- (2) INFORMATION FOR SEQ ID NO:27:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

Lys Pro Leu Phe Pro Arg Leu Ala Ala Phe Leu Asn Ser Met Arg
1 5 10 15

- (2) INFORMATION FOR SEQ ID NO:28:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

Leu Asn Ser Met Arg Pro Arg Ser Ala Glu Lys Leu Trp Lys Leu
1 5 10 15

(2) INFORMATION FOR SEQ ID NO:29:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 15 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide
- (v) FRAGMENT TYPE: internal
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

Lys Leu Trp Lys Leu Gln His Glu Ile Glu Met Tyr Arg Gln Ser 1 5 10 15

- (2) INFORMATION FOR SEQ ID NO:30:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

Met Tyr Arg Gln Ser Val Ile Ala Gln Trp Lys Ala Met Asn Leu 1 5 10 15

- (2) INFORMATION FOR SEQ ID NO:31:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (v) FRAGMENT TYPE: internal

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

Lys Ala Met Asn Leu Asp Val Leu Leu Thr Pro Met Leu Gly Pro 1 5 10 15

- (2) INFORMATION FOR SEQ ID NO:32:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 14 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

Pro Met Leu Gly Pro Ala Leu Asp Leu Asn Thr Pro Gly Arg

1 10

- (2) INFORMATION FOR SEQ ID NO:33:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 25 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (iii) HYPOTHETICAL: NO
 - (iv) ANTI-SENSE: NO
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

CGGGATCCGG CATNGTRTAR TTRTC

(2) INFORMATION FOR SEQ ID NO:34:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 6 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide

25

(v) FRAGMENT TYPE: internal

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:	
Asp Asn Tyr Thr Met Pro	
1 5	
(2) INFORMATION FOR SEQ ID NO:35:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 2472 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: NO	
(ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 501789	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:	
GGTTTGTGCG AGCCGAGTTC TCTCGGGTGG CGGTCGGCTG CAGGAGATC ATG GTG Met Val 1	55
CTG AGC GAA GTG TGG ACC ACG CTG TCT GGG GTC TCC GGG GTT TGC CTA Leu Ser Glu Val Trp Thr Thr Leu Ser Gly Val Ser Gly Val Cys Leu 5 10 15	103
GCC TGC AGC TTG TTG TCG GCG GCG GTG GTC CTG CGA TGG ACC GGG CGC Ala Cys Ser Leu Leu Ser Ala Ala Val Val Leu Arg Trp Thr Gly Arg 20 25 30	151
CAG AAG GCC CGG GGC GCG GCG ACC AGG GCG CGG CAG AAG CAG C	199
AGC CTG GAG ACC ATG GAC AAG GCG GTG CAG CGC TTC CGG CTG CAG AAT Ser Leu Glu Thr Met Asp Lys Ala Val Gln Arg Phe Arg Leu Gln Asn 55 60 65	247

 		GAG Glu						295
		AGT Ser						343
		GCC Ala						391
Ser		GAC Asp 120						439
		GGT Gly						487
		TCC Ser						535
		TGT Cys						583
		CAT His						631
		CTC Leu 200						679
		GGT Gly						727
		CTG Leu						775
		TTC Phe						823
		AGT Ser						871

		TCT Ser	_					919
		AAA Lys 295						967
		CCC Pro						1015
		GTG Val						1063
		AGG Arg						1111
		ACG Thr						1159
		CTG Leu 375						1207
		AAC Asn						1255
		ATT Ile	Arg					1303
		AAG Lys						1351
		CGG Arg						 1399
		CGC Arg 455						1447
		CTG Leu						1495

					ACA Thr						_					1543
					GCG Ala											1591
					ATG Met 520											1639
					AAG Lys											1687
					GTG Val											1735
					GTG Val											1783
TCG Ser	TGAG	GGTC	GT 1	CATO	CGCC	A GC	TCTG	GAGG	ACC	TAAG	GCC	CATO	CGCT	GT		1836
GCAC	TGTA	.GC C	CCA1	CATE	T CA	GGAG	CCAC	CAC	CCAC	GAG	GGAA	CGCC	CA G	CACA	GGGAA	1896
GAGG	TGTC	TA C	CTGC	CCTC	בכ ככ	TGGA	CTCC	TGC	AGCC	ACA	ACCA	AGTO	TG G	ACCI	TCCTC	1956
CCCG	TATT	GG I	CTAC	TTTC	C AI	CCTG	ATTC	CCI	GCTT	TTT	ATGG	CAGC	CA G	CAGG	AATGA	2016
CGTG	GGCC	AA G	GATO	CACCA	A CA	TTCA	AAAA	CAA	TGCG	TTT	ATCI	'ATTI	TC I	GGGT	ATCTC	2076
CATT	'AGGG	CC C	TGGG	AACC	A GA	GTGC	TGGG	AAG	GCTG	TCC	AGAC	CCTC	CA G	AGCT	GGCTG	2136
TAAC	CACA	TC A	CTCI	CCTG	C TC	CAAA	GCCI	ccc	TAGT	TCT	GTCA	CCCA	CA A	GATA	GACAC	2196
AGGG	ACAT	GT C	CTTG	GCAC	T TG	ACTO	CTGT	CCT	TCCT	TTC	TTAT	TCAG	AT I	GACC	CCAGC	2256
CTTG	ATGG	AC C	CTGC	CCCI	G CA	CTTC	CTTC	CTC	AGTC	CAC	CTCT	'CTGC	CG A	CACG	CCCTT	2316
TTTA	TGGC	TC C	TCTA	TTTG	T TG	TGGA	GACA	AGG	TTTC	TCT	CAGI	'AGCC	CT G	GCTG	TCCAG	2376
GACC	TCAC	TC I	GTAG	ATGA	'G GC	TGGC	TTTC	: AAC	TCAC	AAG	GCTG	CCTG	CC I	GGGT	GCTGG	2436
GATT	AAAG	GC G	TATG	CCAC	C AC	AAAG	AAAA	AAA	AAA							2472

- (2) INFORMATION FOR SEQ ID NO:36:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 579 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:
- Met Val Leu Ser Glu Val Trp Thr Thr Leu Ser Gly Val Ser Gly Val 1 5 10 15
- Cys Leu Ala Cys Ser Leu Leu Ser Ala Ala Val Val Leu Arg Trp Thr
 20 25 30
- Gly Arg Gln Lys Ala Arg Gly Ala Ala Thr Arg Ala Arg Gln Lys Gln
 35 40 45
- Arg Ala Ser Leu Glu Thr Met Asp Lys Ala Val Gln Arg Phe Arg Leu
 50 60
- Gln Asn Pro Asp Leu Asp Ser Glu Ala Leu Leu Thr Leu Pro Leu Leu 65 70 75 80
- Gln Leu Val Gln Lys Leu Gln Ser Gly Glu Leu Ser Pro Glu Ala Val 85 90 95
- Phe Phe Thr Tyr Leu Gly Lys Ala Trp Glu Val Asn Lys Gly Thr Asn 100 105 110
- Cys Val Thr Ser Tyr Leu Thr Asp Cys Glu Thr Gln Leu Ser Gln Ala 115 120 125
- Pro Arg Gln Gly Leu Leu Tyr Gly Val Pro Val Ser Leu Lys Glu Cys 130 135 140
- Phe Ser Tyr Lys Gly His Asp Ser Thr Leu Gly Leu Ser Leu Asn Glu 145 150 155 160
- Gly Met Pro Ser Glu Ser Asp Cys Val Val Val Gln Val Leu Lys Leu 165 170 175
- Gln Gly Ala Val Pro Phe Val His Thr Asn Val Pro Gln Ser Met Leu 180 185 190
- Ser Phe Asp Cys Ser Asn Pro Leu Phe Gly Gln Thr Met Asn Pro Trp 195 200 205
- Lys Ser Ser Lys Ser Pro Gly Gly Ser Ser Gly Glu Gly Ala Leu

	210					215					220				
Ile 225	Gly	Ser	Gly	Gly	Ser 230	Pro	Leu	Gly	Leu	Gly 235	Thr	Asp	Ile	Gly	Gly 240
Ser	Ile	Arg	Phe	Pro 245	Ser	Ala	Phe	Cys	Gly 250	Ile	Cys	Gly	Leu	Lys 255	Pro
Thr	Gly	Asn	Arg 260	Leu	Ser	Lys	Ser	Gly 265	Leu	Lys	Gly	Cys	Val 270	Tyr	Gly
Gln	Thr	Ala 275	Val	Gln	Leu	Ser	Leu 280	Gly	Pro	Met	Ala	Arg 285	Asp	Val	Glu
Ser	Leu 290	Ala	Leu	Cys	Leu	Lys 295	Ala	Leu	Leu	Cys	Glu 300	His	Leu	Phe	Thr
Leu 305	Asp	Pro	Thr	Val	Pro 310	Pro	Leu	Pro	Phe	Arg 315	Glu	Glu	Val	Tyr	Arg 320
Ser	Ser	Arg	Pro	Leu 325	Arg	Val	Gly	Tyr	Tyr 330	Glu	Thr	Asp	Asn	Tyr 335	Thr
Met	Pro	Ser	Pro 340	Ala	Met	Arg	Arg	Ala 345	Leu	Ile	Glu	Thr	Lys 350	Gln	Arg
Leu	Glu	Ala 355	Ala	Gly	His	Thr	Leu 360	Ile	Pro	Phe	Leu	Pro 365	Asn	Asn	Ile
Pro	Tyr 370	Ala	Leu	Glu	Val	Leu 375	Ser	Ala	Gly	Gly	Leu 380	Phe	Ser	Asp	Gly
Gly 385	Arg	Ser	Phe	Leu	Gln 390	Asn	Phe	Lys	Gly	Asp 395	Phe	Val	Asp	Pro	Cys 400
Leu	Gly	Asp	Leu	Ile 405	Leu	Ile	Leu	Arg	Leu 410	Pro	Ser	Trp	Phe	Lys 415	Arg
Leu	Leu	Ser	Leu 420	Leu	Leu	Lys	Pro	Leu 425	Phe	Pro	Arg	Leu	Ala 430	Ala	Phe
Leu	Asn	Ser 435	Met	Arg	Pro	Arg	Ser 440	Ala	Glu	Lys	Leu	Trp 445	Lys	Leu	Gln
His	Glu 450	Ile	Glu	Met	Tyr	Arg 455	Gln	Ser	Val	Ile	Ala 460	Gln	Trp	Lys	Ala
Met 465	Asn	Leu	Asp	Val	Leu 470	Leu	Thr	Pro	Met	Leu 475	Gly	Pro	Ala	Leu	Asp 480
Leu	Asn	Thr	Pro	Gly	Arg	Ala	Thr	Gly	Ala	Ile	Ser	Tyr	Thr	Val	Leu

				485					490					495			
Tyr	Asn	Cys	Leu 500	Asp	Phe	Pro	Ala	Gly 505	Val	Val	Pro	Val	Thr 510	Thr	Val		
Thr	Ala	Glu 515	Asp	Asp	Ala	Gln	Met 520	Glu	Leu	Tyr	Lys	Gly 525	Tyr	Phe	Gly		
Asp	Ile 530	Trp	Asp	Ile	Ile	Leu 535	Lys	Lys	Ala	Met	Lys 540	Asn	Ser	Val	Gly		
Leu 545	Pro	Val	Ala	Val	Gln 550	Cys	Val	Ala	Leu	Pro 555	Trp	Gln	Glu	Glu	Leu 560		
Cys	Leu	Arg	Phe	Met 565	Arg	Glu	Val	Glu	Gln 570	Leu	Met	Thr	Pro	Gln 575	Lys		
Gln	Pro	Ser															
	(i) (ii) iii) (iv)	SEC (E (C (I MOI HYE	QUENCA) LE 3) TY 2) ST 0) TC LECUL POTHE	FOR CE CHENGTH (PE: CRAND OPOLO LE TY CTICA ENSE:	IARACI: 24 nucl DEDNE DGY: TPE: NO	CTERI 172 k Leic ESS: line CDNA	STIC pase acid doub ear	CS: pair l ble):37:							
TTTT	TTTT	TT C	TTTG	TGGT	'G GC	CATAC	GCCT	TTA	ATCC	CAG	CACC	CAGG	CA C	GCAG	CCTTG	6	0
TGAG	TTGA	AA G	CCAG	CCTC	'A TO	CTACA	GAGT	' GAG	GTCC	TGG	ACAG	CCAG	igg (CTACT	'GAGAG	12	0
AAAC	CTTG	TC I	CCAC	CAACA	IA A	AGAG	GAGC	CAT	'AAAA'	AGG	GCGI	GTCG	GC A	AGAGA	GGTGG	18	0
ACTG	AGGA	AG G	AAGI	GCAG	G GG	CAGG	GTCC	ATC	AAGG	CTG	GGGT	'CAA'I	CT C	SAATA	AGAAA	. 24	0
GGAA	GGAC	AG G	AGTO	AAGT	G CC	CAAGO	ACAT	GTC	CCTG	TGT	CTAT	CTTG	TG (GTG#	CAGAA	. 30	0

CTAGGGAGGC TTTGGAGCAG GAGAGTGATG TGGTTACAGC CAGCTCTGGA GGGTCTGGAC 360

AGCCTTCCCA	GCACTCTGGT	TCCCAGGGCC	CTAATGGAGA	TACCCAGAAA	ATAGATAAAC	420
GCATTGTTTT	TGAATGTTGG	TGATCCTTGG	CCCACGTCAT	TCCTGCTGGC	TGCCATAAAA	480
AGCAGGGAAT	CAGGATGGAA	AGTAGACCAT	AACGGGGAGG	AAGGTCCAGA	CTTGGTTGTG	540
GCTGCAGGAG	TCCAGGGGAG	GGCAGGTAGA	CACCTCTTCC	CTGTGCTGGG	CGTTCCCTCG	600
TGGGTGGTGG	CTCCTGAATA	CATGGGGCTA	CAGTGCACAG	CGCATGGGCC	TTAGGTCCTC	660
CAGAGCTGGC	GGATGAACGA	CCCTCACGAT	GGCTGCTTTT	GAGGGGTCAT	CAGCTGTTCC	720
ACCTCCCGCA	TGAACCTCAG	ACACAGCTCT	TCCTGCCAGG	GCAGAGCCAC	GCACTGCACA	780
GCCACAGGCA	GACCGACACT	ATTTTTCATG	GCCTTCTTCA	GGATGATGTC	CCAGATATCC	840
CCAAAGTAGC	CTTTGTAGAG	TTCCATCTGG	GCATCGTCCT	CGGCGGTCAC	AGTGGTGACA	900
GGCACCACCC	CCGCAGGGAA	GTCCAGGCAG	TTGTAGAGAA	CGGTGTAGCT	GATAGCCCCT	960
GTGGCTCTGC	CCGGTGTGTT	CAAATCCAGA	GCAGGGCCCA	ACATGGGGGT	CAGCAGCACA	1020
TCCAAGTTCA	TCGCTTTCCA	CTGGGCAATC	ACAGACTGGC	GATACATCTC	AATCTCATGC	1080
TGCAGTTTCC	ACAGCTTTTC	AGCTGACCGA	GGACGCATAC	TGTTGAGAAA	GGCTGCCAGC	1140
CGAGGAAACA	GAGGCTTCAG	CAGGAGGCTC	AGCAGTCTTT	TAAACCAGCT	GGGCAGCCTC	1200
AGAATTAAGA	TCAGGTCTCC	CAAGCAGGGA	TCCACAAAGT	CACCTTTGAA	GTTTTGGAGA	1260
AAACTGCGGC	CACCGTCACT	GAACAGGCCG	CCCGCAGACA	GGACCTCCAG	GGCGTAGGGT	1320
ATGTTGTTGG	GTAAGAAGGG	AATCAGCGTG	TGGCCAGCAG	CCTCAAGTCT	CTGCTTGGTC	1380
TCTATCAGAG	CCCTCCTCAT	AGCTGGGCTG	GGCATGGTAT	AGTTGTCAGT	CTCATAGTAC	1440
CCCACACGCA	GGGGTCTAGA	ACTTCTATAG	ACCTCCTCTC	TGAAGGGCAA	GGGAGGCACG	1500
GTAGGGTCCA	AGGTGAACAA	GTGCTCACAC	AGTAGAGCTT	TCAGGCATAG	CGCCAGGCTC	1560
TCCACATCCC	GGGCCATGGG	GCCAAGAGAA	AGCTGCACTG	CCGTCTGTCC	ATAGACACÁG	1620
CCCTTCAGGC	CACTCTTGCT	GAGGCGGTTG	CCAGTAGGCT	TGAGGCCACA	GATGCCGCAG	1680
AAGGCAGAAG	GGAACCGGAT	GCTGCCGCCA	ATGTCAGTGC	CTAAACCCAG	AGGGGAACCT	1740
CCAGATCCAA	TGAGAGCCCC	CTCACCCCCT	GAGGAACCTC	CTGGGCTCTT	GGAGGACTTC	1800
CATGGGTTCA	TGGTCTGGCC	AAAGAGAGGG	TTACTGCAGT	CAAAGCTTAA	CATGGACTGG	1860
GGGACATTGG	TATGCACAAA	GGGCACAGCT	CCCTGCAGCT	TCAACACTTG	CACCACCACA	1920

CAGTCAGATT	CCGATGGCAT	GCCCTCATTC	AGGCTCAAGC	CCAGTGTGGA	GTCGTGGCCC	1980
TTGTAGCTGA	AGCATTCCTT	GAGGCTCACA	GGGACACCAT	AGAGCAGGCC	CTGCCGTGGG	2040
GCCTGGGACA	GCTGAGTCTC	ACAGTCGGTC	AGATAGGAGG	TCACGCAGTT	GGTCCCTTTG	2100
TTCACTTCCC	AGGCCTTTCC	CAGGTAAGTA	AAGAACACAG	CCTCTGGGGA	CAGCTCTCCA	2160
CTCTGTAACT	TCTGTACCAG	TTGGAGTAGG	GGCAGGGTCA	GCAAGGCCTC	CGAGTCCAGG	2220
TCAGGATTCT	GCAGCCGGAA	GCGCTGCACC	GCCTTGTCCA	TGGTCTCCAG	GCTGGCTCGC	2280
TGCTTCTGCC	GCGCCCTGGT	CGCCGCGCCC	CGGGCCTTCT	GGCGCCCGGT	CCATCGCAGG	2340
ACCACCGCCG	CCGACAACAA	GCTGCAGGCT	AGGCAAACCC	CGGAGACCCC	AGACAGCGTG	2400
GTCCACACTT	CGCTCAGCAC	CATGATCTCC	TGCAGCCGAC	CGCCACCCGA	GAGAACTCGG	2460
CTCGCACAAA	CC					2472

(2) INFORMATION FOR SEQ ID NO:38:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 6 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (v) FRAGMENT TYPE: internal
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

Pro Pro Leu Pro Xaa Arg

(2) INFORMATION FOR SEQ ID NO:39:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1959 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..1746

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

			GAA Glu						48
			AGC Ser						96
			GCC Ala						144
			GAG Glu 55						192
			CTG Leu		•				240
			AAG Lys						288
			CTG Leu						336
			TAT Tyr						384
			CTG Leu 135						432
			GGC Gly						480
			GAG Glu						528

		GTG Val					 	 576
		TGC Cys						624
		AAG Lys			Ser			672
		GGA Gly 230						720
		TTC Phe						768
		CGC Arg						816
		GTG Val						864
		TTG Leu						912
		ACC Thr 310						960
		CCC Pro						1008
		CCA Pro						1056
		GCT Ala						1104
		CTG Leu						1152

			TTT Phe 390											1200
 			CTG Leu					_						1248
			TTC Phe											1296
			ATG Met											1344
 		 	GAG Glu											1392
			GAC Asp 470											1440
			CCG Pro											1488
			CTG Leu											1536
			GAC Asp											1584
			GAC Asp											1632
			GCT Ala 550											1680
			TTC Phe											1728
	CGG Arg		TGAC	GGTC	CAT T	CATO	CTGCC	CC AC	CTCT	rggao	G GAC	CTA	AGGC	1783

CCATGCGCTC	TGCACTGCAG	CCCCATCTAT	TCAGGATCCT	GCCACCCATG	AGGAGATGCC	1843
CAGCACGGGA	AGAGGCAACC	ACCTGCCCTC	CCCTGGACTC	CTACAGAAAC	CCAGGACATG	1903
CCCTCCATAA	CCAAGTCTGG	ACCAGCTCCC	CCGGAATTCC	TGCAGCCCGG	GGGATC	1959
(2) INFORMA	ATION FOR SE	EQ ID NO:40:	:			

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 581 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

Trp Val Met Val Leu Ser Glu Val Trp Thr Ala Leu Ser Gly Leu Ser

1 10 15

Gly Val Cys Leu Ala Cys Ser Leu Leu Ser Ala Ala Val Val Leu Arg
20 25 30

Trp Thr Arg Ser Gln Thr Ala Arg Gly Ala Val Thr Arg Ala Arg Gln 35 40 45

Lys Gln Arg Ala Gly Leu Glu Thr Met Asp Lys Ala Val Gln Arg Phe 50 55 60

Arg Leu Gln Asn Pro Asp Leu Asp Ser Glu Ala Leu Leu Ala Leu Pro
65 70 75 80

Leu Leu Gln Leu Val Gln Lys Leu Gln Ser Gly Glu Leu Ser Pro Glu 85 90 95

Ala Val Leu Phe Thr Tyr Leu Gly Lys Ala Trp Glu Val Asn Lys Gly
100 105 110

Thr Asn Cys Val Thr Ser Tyr Leu Thr Asp Cys Glu Thr Gln Leu Ser 115 120 125

Gln Ala Pro Arg Gln Gly Leu Leu Tyr Gly Val Pro Val Ser Leu Lys 130 135 140

Glu Cys Phe Ser Tyr Lys Gly His Ala Ser Thr Leu Gly Leu Ser Leu 145 150 155 160

Asn Glu Gly Val Thr Ser Glu Ser Asp Cys Val Val Val Gln Val Leu 165 170 175

- Lys Leu Gln Gly Ala Val Pro Phe Val His Thr Asn Val Pro Gln Ser 180 185 190
- Met Leu Ser Tyr Asp Cys Ser Asn Pro Leu Phe Gly Gln Thr Met Asn
 195 200 205
- Pro Trp Lys Pro Ser Lys Ser Pro Gly Gly Ser Ser Gly Gly Glu Gly 210 215 220
- Ala Leu Ile Gly Ser Gly Gly Ser Pro Leu Gly Leu Gly Thr Asp Ile
 225 230 235 240
- Gly Gly Ser Ile Arg Phe Pro Ser Ala Phe Cys Gly Ile Cys Gly Leu 245 250 255
- Lys Pro Thr Gly Asn Arg Leu Ser Lys Ser Gly Leu Lys Ser Cys Val 260 265 270
- Tyr Gly Gln Thr Ala Val Gln Leu Ser Val Gly Pro Met Ala Arg Asp 275 280 285
- Val Asp Ser Leu Ala Leu Cys Met Lys Ala Leu Leu Cys Glu Asp Leu 290 295 300
- Phe Arg Leu Asp Ser Thr Ile Pro Pro Leu Pro Phe Arg Glu Glu Ile 305 310 315 320
- Tyr Arg Ser Ser Arg Pro Leu Arg Val Gly Tyr Tyr Glu Thr Asp Asn 325 330 335
- Tyr Thr Met Pro Thr Pro Ala Met Arg Arg Ala Val Met Glu Thr Lys 340 345 350
- Gln Ser Leu Glu Ala Ala Gly His Thr Leu Val Pro Phe Leu Pro Asn 355 360 365
- Asn Ile Pro Tyr Ala Leu Glu Val Leu Ser Ala Gly Gly Leu Phe Ser 370 375 380
- Asp Gly Gly Cys Ser Phe Leu Gln Asn Phe Lys Gly Asp Phe Val Asp 385 390 395 400
- Pro Cys Leu Gly Asp Leu Val Leu Val Leu Lys Leu Pro Arg Trp Phe 405 410 415
- Lys Lys Leu Leu Ser Phe Leu Leu Lys Pro Leu Phe Pro Arg Leu Ala 420 425 430
- Ala Phe Leu Asn Ser Met Cys Pro Arg Ser Ala Glu Lys Leu Trp Glu 435 440 445

Leu Gln His Glu Ile Glu Met Tyr Arg Gln Ser Val Ile Ala Gln Trp

455

Lys 465	Ala	Met	Asn	Leu	Asp 470	Val	Val	Leu	Thr	Pro 475	Met	Leu	Gly	Pro	Ala 480		
Leu	Asp	Leu	Asn	Thr 485	Pro	Gly	Arg	Ala	Thr 490	Gly	Ala	Ile	Ser	Tyr 495	Thr		
Val	Leu	Tyr	Asn 500	Cys	Leu	Asp	Phe	Pro 505	Ala	Gly	Val	Val	Pro 510	Val	Thr		
Thr	Val	Thr 515	Ala	Glu	Asp	Asp	Ala 520	Gln	Met	Glu	His	Tyr 525	Lys	Gly	Tyr		
Phe	Gly 530	Asp	Met	Trp	Asp	Asn 535	Ile	Leu	Lys	Lys	Gly 540	Met	Lys	Lys	Gly		
Ile 545	Gly	Leu	Pro	Val	Ala 550	Val	Gln	Cys	Val	Ala 555	Leu	Pro	Trp	Gln	Glu 560		
Glu	Leu	Cys	Leu	Arg 565	Phe	Met	Arg	Glu	Val 570	Glu	Arg	Leu	Met	Thr 575	Pro		
Glu	Lys	Arg	Pro 580	Ser													
	(i) (ii)	SEQ (A (E (C (D	QUENCA) LECUL	E CHENGTH PE: RAND POLC	ARAC : 19 nucl EDNE GY:	TERI 59 b eic SS: line	STIC ase acid doub ar	S: pair l	s								
	(iv)	ANT	T-SE	INSE :	NO												
	(xi)	SEÇ	UENC	E DE	SCRI	PTIC	N: S	EQ I	D NC	:41:							
GATC	cccc	GG G	CTGC	AGGA	A TI	CCGG	IGGGA	GCT	'GGTC	CAG	ACTI	GGTT	'AT C	GAGG	GCATG	,	60
TCCT	'GGGT	TT C	TGTA	.GGAG	T CC	AGGG	GAGG	GCA	GGTG	GTT	GCCI	CTTC	CC G	TGCT	GGGCA	1:	20
TCTC	CTCA	TG G	GTGG	CAGG	A TO	CTGA	ATAG	ATG	GGGC	TGC	AGTG	CAGA	GC G	CATO	GGCCT	1	80

TAGGTCCTCC	AGAGCTGGGC	AGATGAATGA	CCCTCAAGAT	GGCCGCTTTT	CAGGGGTCAT	240
CAGCCGTTCC	ACCTCCCGCA	TGAACCGCAG	ACACAGCTCT	TCCTGCCAGG	GCAGAGCCAC	300
GCACTGCACA	GCCACAGGCA	GGCCTATACC	CTTTTTCATG	CCCTTCTTCA	GAATGTTGTC	360
CCACATATCC	CCAAAGTAGC	CTTTGTAGTG	TTCCATCTGG	GCATCGTCCT	CAGCGGTCAC	420
AGTGGTGACA	GGCACCACCC	CCGCAGGGAA	GTCCAGGCAG	TTATAGAGAA	CAGTGTAGCT	480
GATAGCCCCT	GTGGCTCTGC	CCGGTGTGTT	CAAATCCAGA	GCAGGACCCA	GCATGGGGGT	540
TAGCACCACG	TCCAAGTTCA	TTGCCTTCCA	CTGGGCAATG	ACGGACTGGC	GATACATCTC	600
AATCTCATGC	TGCAGTTCCC	ACAGCTTTTC	GGCTGACCGA	GGACACATAC	TGTTGAGAAA	660
GGCTGCCAGC	CGAGGAAACA	GAGGCTTCAG	CAGGAAGCTC	AGCAGTTTTT	TAAACCACCT	720
GGGCAGCTTC	AGCACTAAGA	CCAGGTCCCC	CAAGCAGGGA	TCCACAAAGT	CGCCTTTGAA	780
GTTTTGGAGA	AAAGAGCAGC	CACCATCACT	GAACAGCCCA	CCTGCCGACA	GGACCTCCAG	840
GGCATAAGGT	ATGTTGTTTG	GTAAGAAGGG	GACCAGCGTG	TGGCCAGCAG	CCTCGAGACT	900
CTGCTTGGTC	TCCATCACAG	CCCTCCTCAT	GGCTGGAGTG	GGCATGGTGT	AGTTGTCAGT	960
TTCATAGTAT	CCCACACGAA	GGGGTCGAGA	ACTTCTGTAG	ATCTCCTCCC	TGAAGGGCAA	1020
GGGGGGGATG	GTGGAGTCCA	AGCGGAACAA	ATCCTCACAA	AGTAGGGCTT	TCATGCACAA	1080
TGCCAGGCTA	TCCACATCCC	GTGCCATGGG	GCCAACAGAA	AGCTGCACTG	CTGTCTGTCC	1140
ATAAACACAG	CTCTTCAGGC	CACTCTTGCT	GAGGCGGTTC	CCAGTAGGCT	TGAGGCCACA	1200
GATGCCACAG	AAGGCAGAAG	GGAACCGGAT	GCTGCCGCCG	ATGTCAGTGC	CTAAACCCAG	1260
AGGGGAGCCT	CCAGATCCAA	TGAGAGCCCC	CTCACCCCCT	GAGGAACCTC	CTGGACTCTT	1320
GGAGGGCTTC	CACGGGTTCA	TGGTCTGGCC	AAAGAGGGGG	TTACTGCAGT	CATAGCTTAG	1380
CATGGACTGG	GGGACGTTGG	TGTGCACAAA	GGGCACAGCT	CCCTGCAGCT	TCAGTACCTG	1440
CACCACCACA	CAGTCACTCT	CCGATGTCAC	ACCCTCGTTC	AAACTTAAGC	CCAGTGTGGA	1500
AGCATGGCCC	TTGTAGCTGA	AGCATTCCTT	GAGGCTCACG	GGGACGCCAT	AGAGCAGGCC	1560
CTGCCGTGGG	GCCTGGGACA	GCTGAGTCTC	ACAGTCAGTC	AGATAGGAGG	TCACACAGTT	1620
GGTCCCTTTG	TTCACTTCCC	AGGCCTTTCC	CAGGTAGGTA	AAGAGCACAG	CTTCTGGGGA	1680
CAGTTCCCCA	CTCTGTAACT	TCTGTACCAG	TTGGAGCAGG	GGCAGAGCCA	GCAAGGCCTC	1740

TGAATCCAGG TCAGGATTCT GCAGCCGGAA GCGCTGCACC GCCTTGTCCA TGGTCTCCAG	1800
GCCGGCTCGC TGCTTCTGCC GCGCCCTGGT CACCGCGCCC CGGGCGGTCT GGCTCCTGGT	1860
CCATCGCAGG ACCACCGCCG CCGACAGCAA GCTGCAGGCT AGGCAAACCC CGGAGAGTCC	1920
AGACAGCGCG GTCCACACTT CGCTCAGCAC CATGACCCA	1959
(2) INFORMATION FOR SEQ ID NO:42:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 2045 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: NO	
(ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 31775	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:	
TG CCG GGC GGT AGG CAG CAG CAG GCT GAA GGG ATC ATG GTG CAG TAC Pro Gly Gly Arg Gln Gln Ala Glu Gly Ile Met Val Gln Tyr 1 5 10 15	47
GAG CTG TGG GCC GCG CTG CCT GGC GCC TCC GGG GTC GCC CTG GCC TGC Glu Leu Trp Ala Ala Leu Pro Gly Ala Ser Gly Val Ala Leu Ala Cys 20 25 30	95
TGC TTC GTG GCG GCG GCC GTG GCC CTG CGC TGG TCC GGG CGC CGG ACG Cys Phe Val Ala Ala Val Ala Leu Arg Trp Ser Gly Arg Arg Thr 35 40 45	143
GCG CGG GGC GCG GTC CGG GCG CGA CAG AAG CAG CGA GCG GGC CTG Ala Arg Gly Ala Val Val Arg Ala Arg Gln Lys Gln Arg Ala Gly Leu 50 55 60	191
GAG AAC ATG GAC AGG GCG GCG CAG CGC TTC CGG CTC CAG AAC CCA GAC Glu Asn Met Asp Arg Ala Ala Gln Arg Phe Arg Leu Gln Asn Pro Asp 65 70 75	239

CTG GAC TCA GAG GCG CTG CTA GCC CTG CCC CTG CCT CAG CTG GTG CAG

287

Leu 80	Asp	Ser	Glu	Ala	Leu 85	Leu	Ala	Leu	Pro	Leu 90	Pro	Gln	Leu	Val	Gln 95	. *
			AGT Ser													335
			GCC Ala 115													383
			GAC Asp													431
			GGC Gly													479
			TCC Ser							•						527
			AGC Ser												-	575
			CAC His 195													623
			CTC Leu													671
AGC Ser			GGC Gly													719
GGC Gly 240																767
CCC Pro																815
CTC Leu																863

			ATG Met					911
			TGC Cys 310		Phe			959
			AGA Arg					1007
	 -		GAG Glu					1055
			CTG Leu					1103
	 		TTC Phe					1151
			GGG Gly 390					1199
			GAT Asp					1247
GTC Val			CCC Pro					1295
			CCA Pro					1343
			AAA Lys					1391
			ATT Ile 470					1439
			CTG Leu					1487

		GCC Ala														1535	5
		CCT Pro														1583	3
		CAG Gln 530														1631	L
		CTG Leu														1679	•
		TGT Cys														1727	,
_		GAG Glu													TGATGGCT	CT	1782
GGCT	CCAG	GAG G	ACCI	GAG	AC TO	CACAC	CTCTC	TGC	AGCC	CCAG	CCTA	AGTCA	.GG G	CACA	GCTGC	1842	
CCT	CTGC	CA C	CAGCA	AGG	ra aa	GTC	CTGC	A TGG	GGC	AGAG	GCTI	CCGI	GT C	CTCI	ccccc	1902	
AAC	CCCI	GC A	AGAI	recec	CC GA	CTCC	CCTGA	A GTO	TGG	CCT	CCAT	CCCI	GC 1	CTGG	TCCCC	1962	
TCT	CTTCG	TC C	TGAT	CCCI	C CA	rccc.	CATO	TGG	CAGO	CCA	TGGG	TAT	AC A	TAGG	CCAAG	2022	
GCC	CAACT	AA C	CAGCO	CCGG	A AI	T										2045	

(2) INFORMATION FOR SEQ ID NO:43:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 590 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

Pro Gly Gly Arg Gln Gln Gln Ala Glu Gly Ile Met Val Gln Tyr Glu
1 5 10 15

Leu Trp Ala Ala Leu Pro Gly Ala Ser Gly Val Ala Leu Ala Cys Cys
20 25 30

- Phe Val Ala Ala Ala Val Ala Leu Arg Trp Ser Gly Arg Arg Thr Ala
 35 40 45
- Arg Gly Ala Val Val Arg Ala Arg Gln Lys Gln Arg Ala Gly Leu Glu 50 55 60
- Asn Met Asp Arg Ala Ala Gln Arg Phe Arg Leu Gln Asn Pro Asp Leu 65 70 75 80
- Asp Ser Glu Ala Leu Leu Ala Leu Pro Leu Pro Gln Leu Val Gln Lys 85 90 95
- Leu His Ser Arg Glu Leu Ala Pro Glu Ala Val Leu Phe Thr Tyr Val
 100 105 110
- Gly Lys Ala Trp Glu Val Asn Lys Gly Thr Asn Cys Val Thr Ser Tyr 115 120 125
- Leu Ala Asp Cys Glu Thr Gln Leu Ser Gln Ala Pro Arg Gln Gly Leu 130 135 140
- Leu Tyr Gly Val Pro Val Ser Leu Lys Glu Cys Phe Thr Tyr Lys Gly
 145 150 155 160
- Gln Asp Ser Thr Leu Gly Leu Ser Leu Asn Glu Gly Val Pro Ala Glu 165 170 175
- Cys Asp Ser Val Val His Val Leu Lys Leu Gln Gly Ala Val Pro 180 185 190
- Phe Val His Thr Asn Val Pro Gln Ser Met Phe Ser Tyr Asp Cys Ser 195 200 205
- Asn Pro Leu Phe Gly Gln Thr Val Asn Pro Trp Lys Ser Ser Lys Ser 210 215 220
- Pro Gly Gly Ser Ser Gly Gly Glu Gly Ala Leu Ile Gly Ser Gly Gly 225 230 235 240
- Ser Pro Leu Gly Leu Gly Thr Asp Ile Gly Gly Ser Ile Arg Phe Pro 245 250 255
- Ser Ser Phe Cys Gly Ile Cys Gly Leu Lys Pro Thr Gly Asn Arg Leu 260 265 270
- Ser Lys Ser Gly Leu Lys Gly Cys Val Tyr Gly Gln Glu Ala Val Arg 275 280 285
- Leu Ser Val Gly Pro Met Ala Arg Asp Val Glu Ser Leu Ala Leu Cys 290 295 300

Leu 305	Arg	Ala	Leu	Leu	Cys 310	Glu	Asp	Met	Phe	Arg 315	Leu	Asp	Pro	Thr	Val 320
Pro	Pro	Leu	Pro	Phe 325	Arg	Glu	Glu	Val	Tyr 330	Thr	Ser	Ser	Gln	Pro 335	Leu
Arg	Val	Gly	Tyr 340	Tyr	Glu	Thr	Asp	Asn 345	Tyr	Thr	Met	Pro	Ser 350	Pro	Ala
Met	Arg	Arg 355	Ala	Val	Leu	Glu	Thr 360	Lys	Gln	Ser	Leu	Glu 365	Ala	Ala	Gly
His	Thr 370	Leu	Val	Pro	Phe	Leu 375	Pro	Ser	Asn	Ile	Pro 380	His	Ala	Leu	Glu
Thr 385	Leu	Ser	Thr	Gly	Gly 390	Leu	Phe	Ser	Asp	Gly 395	Gly	His	Thr	Phe	Leu 400
Gln	Asn	Phe	Lys	Gly 405	Asp	Phe	Val	Asp	Pro 410	Cys	Leu	Gly	Asp	Leu 415	Val
Ser	Ile	Leu	Lys 420	Leu	Pro	Gln	Trp	Leu 425	Lys	Gly	Leu	Leu	Ala 430	Phe	Leu
Val	Lys	Pro 435	Leu	Leu	Pro	Arg	Leu 440	Ser	Ala	Phe	Leu	Ser 445	Asn	Met	Lys
Ser	Arg 450	Ser	Ala	Gly	Lys	Leu 455	Trp	Glu	Leu	Gln	His 460	Glu	Ile	Glu	Val
Tyr 465	Arg	Lys	Thr	Val	Ile 470	Ala	Gln	Trp	Arg	Ala 475	Leu	Asp	Leu	Asp	Val 480
Val	Leu	Thr	Pro	Met 485	Leu	Ala	Pro	Ala	Leu 490	Asp	Leu	Asn	Ala	Pro 495	Gly
Arg	Ala	Thr	Gly 500	Ala	Val	Ser	Tyr	Thr 505	Met	Leu	Tyr	Asn	Cys 510	Leu	Asp
Phe	Pro	Ala 515	Gly	Val	Val	Pro	Val 520	Thr	Thr	Val	Thr	Ala 525	Glu	Asp	Glu
Ala	Gln 530	Met	Glu	His	Tyr	Arg 535	Gly	Tyr	Phe	Gly	Asp 540	Ile	Trp	Asp	Lys
Met 545	Leu	Gln	Lys	Gly	Met 550	Lys	Lys	Ser	Val	Gly 555	Leu	Pro	Val	Ala	Val 560
Gln	Cys	Val	Ala	Leu 565	Pro	Trp	Gln	Glu	Glu 570	Leu	Cys	Leu	Arg	Phe 575	Met

Arg Glu Val Glu Arg Leu Met Thr Pro Glu Lys Gln Ser Ser 580 585 590

(2) INFORMATION FOR SEQ ID NO:44:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 2045 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:

AATTCCGGGG	CTGTTAGTTG	GGCCTTGGCC	TATGTCATAC	CCATGGGCTG	CCACATGGGG	60
GTGGAGGGAT	CAGGACGAAG	AGAGGGGACC	AGAGCAGGGA	TGGAGGTCCA	GACTCAGGGA	120
GTCGGCGCTT	CTTGCAGGGG	GTTGGGGGAG	AGGACACGGA	AGCCTCTGCC	CCATGCAGGA	180
CATTTCCTTG	CTGTGGCAGC	AGGGCAGCTG	TGCCCTGACT	AGGCTGGGCT	GCAGAGAGTG	240
TGAGTCTCAG	GTCCTCTGGA	GCCAGAGCCA	TCAGGATGAC	TGCTTTTCAG	GGGTCATCAG	300
TCGCTCCACC	TCCCGCATGA	ACCGCAGACA	CAACTCTTCT	TGCCAGGGCA	GAGCCACACA	360
CTGCACGGCC	ACCGGCAGCC	CCACACTCTT	CTTCATGCCC	TTCTGCAGCA	TCTTGTCCCA	420
GATATCCCCA	AAGTAGCCCC	TGTAATGTTC	CATCTGGGCC	TCGTCCTCAG	CAGTCACCGT	480
GGTGACAGGC	ACCACCCCTG	CAGGGAAGTC	CAGGCAGTTG	TACAGCATAG	TGTAGCTGAC	540
GGCCCCTGTG	GCCCTGCCTG	GGGCATTCAA	GTCCAGAGCA	GGGCCAGCA	TGGGGGTCAG	600
CACCACATCC	AGGTCCAGCG	CCCTCCACTG	GGCAATCACG	GTTTTGCGGT	ACACCTCGAT	660
CTCGTGCTGC	AGTTCCCAGA	GTTTTCCAGC	CGAACGAGAC	TTCATGTTGC	TGAGGAAAGC	720
TGACAGCCTT	GGCAGCAGAG	GCTTCACCAG	GAAGGCCAGC	AGTCCTTTAA	GCCATTGGGG	780
AAGCTTCAGA	ATTGAGACCA	GGTCCCCCAG	GCAGGGGTCC	ACGAAATCAC	CTTTGAAGTT	840
CTGTAGGAAG	GTGTGGCCAC	CATCACTGAA	GAGCCCACCT	GTTGACAGGG	TCTCCAGAGC	900

ATGGGGTATG TTGCTTGGCA AGAAGGGAAC CAGCGTGTGC CCCGCAGCCT CAAGGCTCTG 960 TTTGGTCTCC AGCACGGCCC GCCTCATGGC CGGGGAGGGC ATGGTATAGT TGTCAGTCTC 1020 ATAGTACCCC ACACGCAGGG GCTGAGAGCT GGTGTAGACC TCTTCTCTGA AGGGCAAGGG 1080 AGGCACAGTG GGGTCCAAGC GGAACATGTC CTCGCACAGC AGGGCTCGCA GGCACAGTGC 1140 CAGGCTCTCC ACGTCCCGGG CCATGGGGCC CACGGAGAGA CGCACTGCCT CCTGTCCATA 1200 GACACAGCCC TTCAGGCCAC TCTTGCTGAG GCGGTTCCCT GTGGGCTTGA GGCCGCAGAT 1260 GCCGCAGAAG GAGGAGGGA AGCGGATGCT GCCTCCGATA TCAGTGCCTA AGCCCAGGGG 1320 GGAGCCTCCA GACCCGATGA GGGCCCCTTC ACCCCCTGAG GAGCCCCCTG GGCTTTTGGA 1380 GGACTTCCAT GGGTTCACGG TCTGGCCAAA GAGGGGGTTA CTGCAGTCAT AGCTGAACAT 1440 GGACTGTGGA ACATTGGTGT GCACGAAGGG CACGGCACCC TGCAGCTTCA GCACATGCAC 1500 CACTACGCTG TCGCACTCCG CCGGCACCCC TTCATTCAGG CTCAAGCCCA GCGTGGAGTC 1560 CTGGCCCTTG TAGGTGAAGC ACTCCTTGAG GCTCACAGGG ACGCCATAGA GCAGGCCCTG 1620 CCTTGGGGCC TGAGACAGCT GAGTCTCACA GTCAGCCAGA TAGGAGGTCA CACAGTTGGT 1680 CCCTTTGTTC ACTTCCCAGG CCTTTCCCAC ATAGGTGAAG AGCACGGCCT CAGGGGCCAG 1740 CTCTCTACTG TGTAACTTCT GCACCAGCTG AGGCAGGGGC AGGGCTAGCA GCGCCTCTGA 1800 GTCCAGGTCT GGGTTCTGGA GCCGGAAGCG CTGCCGCCC CTGTCCATGT TCTCCAGGCC 1860 CGCTCGCTGC TTCTGTCGCG CCCGGACCAC CGCGCCCCGC GCCGTCCGGC GCCCGGACCA 1920 GCGCAGGGCC ACGGCCGCC CCACGAAGCA GCAGGCCAGG GCGACCCCGG AGGCGCCAGG 1980 CAGCGCGGCC CACAGCTCGT ACTGCACCAT GATCCCTTCA GCCTGCTGCT GCCTACCGCC 2040 CGGCA 2045

(2) INFORMATION FOR SEQ ID NO:45:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 26 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO

(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:45:												
GCGGTACC	GCGGTACCAT GCGATGGACC GGGCGC												
(2) INFO	ORMATION FOR SEQ ID NO:46:												
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 18 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear												
(ii)	MOLECULE TYPE: cDNA												
(iii)	HYPOTHETICAL: NO												
(iv)	ANTI-SENSE: NO												
	•												
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:46:												
GGTCTGGC	CCA AAGAGAGG	18											
(2) INFO	RMATION FOR SEQ ID NO:47:												
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 32 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear												
(ii)	MOLECULE TYPE: protein												
(v)	FRAGMENT TYPE: internal												
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:47:												
Gly 1	Gly Ser Ser Gly Gly Glu Gly Ala Leu Ile Ala Gly Gly Gly Ser 5 10 15												

Leu Leu Gly Ile Gly Ser Asp Val Ala Gly Ser Ile Arg Leu Pro Ser

25

30

(2) INFORMATION FOR SEQ ID NO:48:

20

(iv) ANTI-SENSE: NO

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 32 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (v) FRAGMENT TYPE: internal
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:

Gly Gly Ser Ser Gly Gly Glu Gly Ala Leu Ile Gly Ala Gly Gly Ser

1 10 15

Leu Ile Gly Ile Gly Thr Asp Val Gly Gly Ser Val Arg Ile Pro Cys
20 25 30

- (2) INFORMATION FOR SEQ ID NO:49:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 32 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:

Gly Gly Ser Ser Gly Gly Glu Ser Ala Leu Ile Ser Ala Asp Gly Ser 1 5 10 15

Leu Leu Gly Ile Gly Gly Asp Val Gly Gly Ser Ile Arg Ile Pro Cys
20 25 30

- (2) INFORMATION FOR SEQ ID NO:50:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 32 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein

- (v) FRAGMENT TYPE: internal
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:

Gly Gly Ser Ser Gly Gly Glu Gly Ser Leu Ile Gly Ala His Gly Ser

1 10 15

Leu Leu Gly Leu Gly Thr Asp Ile Gly Gly Ser Ile Arg Ile Pro Ser 20 25 30

- (2) INFORMATION FOR SEQ ID NO:51:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 32 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:

Gly Gly Ser Ser Gly Gly Glu Gly Ala Ile Val Gly Ile Arg Gly Gly
1 5 10 15

Val Ile Gly Val Gly Thr Asp Ile Gly Gly Ser Ile Asp Val Pro Ala 20 25 30

- (2) INFORMATION FOR SEQ ID NO:52:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 32 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:52:

Gly Gly Ser Ser Gly Gly Val Ala Ala Ala Val Ala Ser Arg Leu Met

	1			5					10					15		
	Leu	Gly Gl	y Ile 20	Gly	Thr	Asp	Thr	Gly 25	Ala	Ser	Val	Arg	Leu 30	Pro	Ala	•
(2)	INFO	RMATION	FOR	SEQ :	ID NO	53:53	:									
	(i)	(B) I	ICE CH LENGTH LYPE:	: 32 amino	amin o aci	no ac										
	(ii)	MOLECU	LE TY	PE: p	prote	ein								-		
	(v)	FRAGME	NT TY	PE: :	inter	mal										
					•											
	(xi)	SEQUEN	CE DE	SCRI	PTION	: SE	EQ II	ONO:	53:							
	Gly 1	Gly Se	r Ser	Gly 5	Gly	Val	Ala	Ala	Ala 10	Val	Ala	Ser	Gly	Ile 15	Val	
	Pro	Leu Se	r Val 20	Gly	Thr	Asp	Thr	Gly 25	Gly	Ser	Tle	Arg	Ile 30	Pro	Ala	
(2)	INFO	NOITAMS	FOR	SEQ 1	ID NO):54:	:									
	(i)	(B) T (C) S	CE CH ENGTH YPE: TRAND	: 819 nucle EDNES	9 bas eic a SS: d	se pa cid loubl	airs									
	(ii)	MOLECU	LE TY	PE: c	CDNA											
(iii)	нүротн	ETICA	L: NO)											
	(iv)	ANTI-S	ENSE:	NO												
	(xi)	SEQUEN	CE DE	SCRII	PTION	1: SI	EQ II	ои с	:54:							
CCAG	GAGG:	TT CCTC	AGGGG	G TG	AGGGG	GCT	CTC	ATTG	SAT (CTGG	AGGT	rc co	CCTCT	rggg:	r	60
TTAG	GCAC	rg acat	TGGCG	G CA	GCATO	CCGG	TTC	CCTT	CTG (CCTT	CTGC	GG CI	ATCTO	TGG	C	120

CTCAAGCCTA CTGGCAACCG CCTCAGCAAG AGTGGCCTGA AGGGCTGTGT CTATGGACAG

180

ACC	GCAGTGC	AGCTTTCTCT	TGGCCCCATG	GCCCGGGATG	TGGAGAGCCT	GGCGCTATGC	240
CTO	BAAAGCTC	TACTGTGTGA	GCACTTGTTC	ACCTTGGACC	CTACCGTGCC	TCCCTTTCCC	300
TTC	CAGAGAGG	AGGTCTATAG	AAGTTCTAGA	CCCCTGCGTG	TGGGGTACTA	TGAGACTGAC	360
AAC	CTATACCA	TGCCCAGCCC	AGCTATGAGG	AGGGCTCTGA	TAGAGACCAA	GCAGAGACTT	420
GAG	GCTGCTG	GCCACACGCT	GATTCCCTTC	TTACCCAACA	ACATACCCTA	CGCCCTGGAG	480
GTC	CTGTCTG	CGGGCGGCCT	GTTCAGTGAC	GGTGGCCGCA	GTTTTCTCCA	AAACTTCAAA	540
GGI	GACTTTG	TGGATCCCTG	CTTGGGAGAC	CTGATCTTAA	TTCTGAGGCT	GCCCAGCTGG	600
TTI	AAAAGAC	TGCTGAGCCT	CCTGCTGAAG	CCTCTGTTTC	CTCGGCTGGC	AGCCTTTCTC	660
AAC	AGTATGC	GTCCTCGGTC	AGCTGAAAAG	CTGTGGAAAC	TGCAGCATGA	GATTGAGATG	720
TAT	CGCCAGT	CTGTGATTGC	CCAGTGGAAA	GCGATGAACT	TGGATGTGCT	GCTGACCCCN	780
ATG	YTNGGNC	CNGCNYTNGA	YYTNAAYACN	CCNGGNMGN			819